2.60 /9:10 /36

# Morbidity and Mortality

Weekly Report

# PUBLIC HEALTH SERVICE

# DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

Prepared by the COMMUNICABLE DISEASE CENTER

MElrose 4-5131

For release September 15, 1961

Atlanta 22, Georgia

Vol. 10, No. 36

# Provisional Information on Selected Notifiable Diseases in the United States and on Deaths in Selected Cities for Week Ended September 9, 1961

Poliomyelitis - A total of 62 cases, including 37 paralytic, was reported for the week ending September 9. This represents very little change from the 60 cases, including 36 paralytic, reported during the previous week. Thus, poliomyelitis has had no substantial increase for two successive weeks. The incidence of poliomyelitis continues to remain well below previous years as shown in the following table:

Pallamyelitis Cases (Cumulative) Through 36th Week

	1961	1960	1959	1958	1957
Paralytic	454	1200	3122	1262	1305
Tatal	685	1735	4956	2597	4162

New York continued to account for most cases reported with 14 total and 9 paralytic cases for the current week (See Epidemiological Reports).

The only other States with more than two paralytic cases for the current week were Pennsylvania with four, and West Virginia and California with three each. There is no concentration of cases within these States.

#### EPIDEMIOLOGICAL REPORTS

#### Poliomyelitis - Upstote New York

Through Saturday, September 9, 46 cases of paralytic poliomyelitis have been reported from the Counties of


## Table I. Cases of Specified Notifiable Diseases: United States


(Cumulative totals include revised and delayed reports through previous week)

Disease		36th We	ek			Cumulat	ive			
(Seventh Revision of International Lists, 1955)	Ended	Ended		F1	rst 36 wee	ks	Since a	easonal 1	ow week	Approxi- mate seasonal
Weekly incidence low or sporadic     Data not available     Quantity zero	Sept. 9, 1961	Sept. 10, 1960	Median 1956-60	1961	1960	<b>Median</b> 1956-60	1960-61	1959-60	Median 1955-56 to 1959-60	low point
Anthrax062	-	-	*	5	12	*	*	*	*	*
Botulism049.1	1	-	*	5	8	*	*	*	*	*
Brucellosis (undulant fever)044	15	7	22	428	558	564	*	*	*	*
Diphtheria055	6	14	14	380	428	513	71	94	116	July 1
Encephalitis, infectious082	31	57	68	1,098	1,281	1,259	1,098	1,281	1,259	Jan. 1
Hepatitis, infectious, and										
serum092,N998.5 pt.	995	679	268	53,820	26,182	14,268	995	679	268	Sept. 1
Malaria110-117	1	-	*	38	46	*	*	*	*	*
Measles085	697	725	824	386,325	400,582	448,032	697	719	824	Sept. 1
Meningitis, aseptic340 pt.	142	146		1,862	1,751		1,862	1,751		Jan. 1
Meningococcal infections057	20	28	29	1,535	1,563	1,721	20	28	29	Sept. 1
Poliomyelitis080	62	153	314	685	1,735	4,155	<b>5</b> 82	1,523	3,627	Apr. 1
Paralytic080.0,080.1	37	110	152	454	1,200	1,299	394	1,041	1,024	Apr. 1
Nonparalytic080.2	16	26	122	150	167	2,179	125	341	2,018	Apr. 1
Unspecified080.3	9	17	40	81	368	677	63	141	585	Apr. 1
Psittacosis	2	1	*	51	72	*	*	*	*	*
Rabies in man094	-	-	*	3	1	*	*	*	*	*
Streptococcal sore throat,										
including scarlet fever050,051	2,958	2,987		236,649	226,894		17,438			Aug. 1
Typhoid fever040	.30	22	24	540	544	678	426	415	498	Apr. 1
Typhus fever, endemic101	-	-	*	26	51	*	*	*	*	*
Rabies in animals	60	44	64	2,455	2,639	3,209	3,031	3,606	4,139	Oct. 1

Figures for current week exclude missing report from Oklahoma

Botulism - 1 Florida
Plague 2 - N.M. (Previously described Vol. 10, No. 30, July 29 and Vol. 10, No. 35, Sept. 2)





Onondaga, Madison and Oneida in upstate New York. An additional 14 paralytic cases have been recognized through Wednesday, September 13. Of the 60 cases, 34 have occurred in Onondaga County (22 in Syracuse), 15 in Madison County, and 11 in Oneida County. Type I poliovirus has been isolated from seven of these cases. The tri-county area was the scene of an intensive immunization program from August 29-31. Over 400,000 doses of Type I oral poliovaccine were fed during this period (total population 742,000).

The 57 paralytic cases with onset of symptoms since July are shown below. Cases continue to occur in Onon-daga County while the last case to occur in either Madison or Oneida County was on September 1.

Week Ending:	7/29	8/5	8/12	8/19	8/26	9/2	9/9
Onondaga County	1	2	1	4	10	- 11	4
Madison County	0	4	3	5	2	0	0
Oneida County	0	2	2	2	3	1	0
Total	1	8	6	- 11	15	12	4

Fifteen cases have been reported with onset since the oral immunization program began. All but one of the 15 cases are from Onondaga County. Of the 15 cases, 11 received oral vaccine as shown below:

Interval in Doys Between Oral Vaccine and Onset of Symptoms

No Oral Voccine	Some Day	1	2	3	4	5	6	7
4	2	0	2	3	1	1	1	1_

#### Unusual Outbreak - New York State

An unusual outbreak of disease occurred from June 8-21 in New York State. It came to light when two physicians in a small community in Chenango County saw a large number of patients with signs and symptoms of appendicitis. Six appendectomies were performed. On operation the patients were found to have mesenteric adenitis instead of appendicitis.

An attempt was made to determine the incidence of illness in the village and its environs (total population of 4,600). The local industries had no unusual absenteeism. A visit by public health nurses to the homes of children absent from the Central School (enrollment 1,521) revealed 110 cases of illness, ranging from mild, cramp-like abdominal pain to more serious illness, lasting 5 to 6 days with pain and tenderness, especially in the RLQ or LLQ of the abdomen. Twenty-four had mild diarrhea. None had blood in the stool. In the cases seen by physicians, the temperatures ranged from 99 to 103. A few cases had abdominal muscle spasm. Other symptoms were: headache, nausea, dizziness, vomiting, and stiff neck. No respiratory complaints or pain in the chest were noted. Investigation revealed no common source.

The disturbing feature of the outbreak was the difficulty in distinguishing between real appendicitis which required surgery and the epidemic disease which did not.

(continued on page 8)

Table 2. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, EACH DIVISION AND STATE, AND PUERTO RICO, FOR WEEKS ENDED SEPTEMBER 10, 1960 AND SEPTEMBER 9, 1961

(By place of occurrence. Numbers under diseases are category numbers of the Seventh Revision of the International Lists, 1955)

				Po	liomyeli	tis 080					Menin-	Brucel losis
	(Include		otal ot specified	by type)	Par	alytic O	80.0,080	.1	Nonpar	alvtic	gitis, aseptic	(undu-
Area	36th	Week		ative, 86 weeks	36th	Week	Cumul first 3	ative, 6 weeks	080		340 pt.	fever)
	1961	1960	1961	1960	1961	1960	1961	1960	1961	1960	1961	1961
UNITED STATES	62	153	685	1,735	37	110	454	1,200	16	26	142	15
NEW ENGLAND	3	18	15	159	2	13	12	125	1	5	9	-
Maine New Hampshire	_	8	1 1	19	_	8	1 -	19		_	1 1	-
Vermont	-	2	2	3	-	_	2	1	_	2	_	-
Massachusetts	1	2	7	25	1	2	6	17	-	-	4	-
Rhode Island	2	3	4	94 18	1	1 2	3	73 15	- 1	2 1	3 -	-
MIDDLE ATLANTIC	23	26	134	222	15	22	101	171	6	3	5	
New York	14	10	85	127	9	8	61	92	3	1	2	
New Jersey	2	9	25	48	2	7	22	37	-	2	-	-
Pennsylvania	7	7	24	47	4	7	18	42	3	-	3	-
EAST NORTH CENTRAL	8 -	35 6	73 19	275 68	3	23 4	41 10	155	3	8	38	4
Indiana	2	16	9	56	_	12	5	29 41	1	1 2	8	
Illinois	2	5	19	91	1	2	8	58	1	3	11	4
Michigan	2 2	4	14	45	1	4	11	23	1	-	17	-
Wisconsin			12	15	1	1	7	4	-	2	1	-
WEST NORTH CENTRAL	4 1	15 4	41 5	92 31	2	10	19	51	1	4	35	4
Iowa	2	3	13	14	1 1	4	5	24	1	2	12	1 3
Missouri	-	2	10	15	-	2	2	9	_	-	-	-
North Dakota	-	-	1	7	-	-	-	3	-	-	-	-
South Dakota	1	4	1 4	3 10		2	3	1 7	_	2	4	-
Kansas	-	2	7	12	_	1	3	4	_	-	3	_
SOUTH ATLANTIC	8	16	129	277	6	12	97	199	1	4	11	2
Delaware	-	-	2	-	-	-	1	-	_		-	-
Maryland	1	2	22	23	1	2	22	20	-	-	-	-
District of Columbia Virginia	-	2	1 8	11	-	2	1 6	9	-	_	7	-
West Virginia	3	_	17	27	3	_	12	22	-	_	1	
North Carolina	-	5	11	60	-	2	6	42	-	3	-	2
South Carolina	1	4	12 27	98 12	_	3	9 20	65 10	-	1	-	-
Florida	3	-	29	46	2	-	20	31	1	_	3	_
EAST SOUTH CENTRAL	3	5	54	113	1	2	32	57	1	_	1	3
Kentucky	-	3	20	56	-	-	5	5	-	-	_	1
Tennessee	3	1 1	13 8	20	1	1	7	15	1	-	1	2
Alabama	-	-	13	11 26	_	1 -	8 12	11 26	-	_	_	]
WEST SOUTH CENTRAL	6	8	102	187	3	6	54	109	3	2		_
Arkansas	1	1	11	17	-	1	4	9	1	-	3 1	2
Louisiana	2	-	33	38	2	-	25	24	-	-		1
Oklahoma	3	2 5	3	10	1	1	- 25	6		1		
			55	122	1	4	25	70	2	1	2	1
MOUNTAIN	2	9	40 3	53 13	-	1	23	22 9	-	-	2	-
Idaho	1	-	13	5	_	_	2 6	1	_	_	1 -	
Wyoming	-	8	-	16	-	-	-		-	-	-	-
Colorado		1	6	7 /	-	1	6	6	-	-	-	-
Arizona	-	-	3 7	4	_		- 5	1 4	-	-	-	-
Utah Nevada	1	-	8	4	- 1	-	4	1	-	-	1	_
	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	5 1	21	97 19	357 20	5 1	21	75	311	-	-	38	-
Oregon	1	_	12	25	1	_	15 5	20 14	-		5 -	-
California	3	21	64	303	3	21	53	268	-	-	33	_
Alaska	-	-	-	2	-	-	-	2	-	-	-	-
HOW SITE	-	-	2	7	-	-	2	7	-	-	-	-
Puerto Rico		7	5	423	_	7	5	416				

Table 2. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, EACH DIVISION AND STATE, AND PUERTO RICO, FOR WEEKS ENDED SEPTEMBER 10, 1960 AND SEPTEMBER 9, 1961 - Continued

(By place of occurrence. Numbers under diseases are category numbers of the Seventh Revision of the International Lists, 1955)


		Diphthe	ria 055		Enceph infec	alitis,			nfectious ,N998.5 p		Meas	les
Area	36th	Week	Cumul first 3	ative, 6 weeks	082		- 36th	Week	Cumul first 3	ative, 6 weeks	08	5
	1961	1960	1961	1960	1961	1960	1961	1960	1961	1960	1961	1960
UNITED STATES	6	14	380	428	31	57	995	679	53,820	26,182	697	72.
NEW ENGLAND	-	-	6	10	1	2	50	19	1,574	789	72	5-
Maine New Hampshire	-	-	-	2	-	-	3 14	1	98 130	47 25	4 7	1
Vermont	_	-	_	_	_	1	-	-	165	11	6	
Massachusetts	-	-	5	7	-	1	20	5	608	392	39	2
Rhode Island	_	_	- 1	1 -	1 -		10	7 6	201 372	156 158	1 11	
MIDDLE ATLANTIC	1	_	20	13	6	6	94	89	7,413	2,987	107	10
New York	-	-	7	3	4	-	42	49	3,116	1,593	56	8
New Jersey Pennsylvania	1		13	2 8	2	1 5	31 21	3 37	1,795 2,502	208	21 30	1
EAST NORTH CENTRAL	_	_	15	35	7	10	193	131	10,818	4,778	157	20
Ohio	-	_	1	15	5	1	60	32	3,645	1,604	13	:
IndianaIllinois	-	-	1 10	5 4	- 2	2 7	26 42	9 53	1,673	545 994	11 68	
Michigan	-	_	3	9	-	_	58	35	3,355	1,464	26	
Wisconsin	-	-	-	2	-	-	7	2	265	171	39	13
WEST NORTH CENTRAL	3	1	34	22	1	4	54	46	5,263	1,866	15	:
MinnesotaIowa	3	1 -	23 1	6 5	-	1 1	22	10 4	1,145	215 313	5	
Missouri	-	-	-	2	-	-	- 14	19	1,196	688	3	
North Dakota	-	-	2 6	1 5	_	_	_	1 -	122 140	139 124	7	
South Dakota	_	_	2	1	1	_	8	5	545	193	_	
Kansas	-	-	-	2	-	4	1	7	584	194	NN	1
SOUTH ATLANTIC	1	3	78	122	4	8	143	78	6,687	3,103	65	
Delaware	-		1	- 1	2	_	1 5	5	156 618	193 314	1 5	
District of Columbia	-	-	2	-	-	1	2	i	83	39	ı î	
Virginia	-	1	15	13	1 -	1 1	31	9	1,070	614 580	37 14	
West Virginia	_	_	7	4 5	1	-	37 28	14	1,262 1,427	266	-	
South Carolina	-	1	5	38	-	-	11	-	339	47	1	
GeorgiaFlorida	1 -	- 1	21 26	20 41	-	2	14	9 32	618	207 843	2 4	
EAST SOUTH CENTRAL	1	4	29	45	_	9	174	95	8,086	3,764	50	
Kentucky	-	-	8	1	_	-	50	27	2,378	1,398	7	
Tennessee		1	3	7 21	-	5	75 25	30 24	3,223	1,234 811	34	
Alabama Mississippi	1 -	1 2	13	16	_	4	24	14	1,416	321	-	
WEST SOUTH CENTRAL	_	4	184	145	2	10	85	. 39	3,912	2,154	90	
Arkansas	-	1	4	5	-	1	16	-	766	110	2	
LouisianaOklahoma	-	1 2	23	30 9		- 1	14	6	419 261	110 270		
Texas	-	-	152	101	2	8	55	29	2,466	1,664	88	
MOUNTAIN	_	2	8	35	3	3	53	61	3,281	2,123	46	
Montana	-	-	2	3	-	-	2	5	288	90	8	
Idaho Wyoming	-	_	-	11 5	_	1 2	2 1	6	239	255 22	3 -	
Colorado	-	_	4	3	-	-	17	14	1,102	765	12	
New Mexico	-	-	1 -	4 3	- 3	_	21	9	360 510	259 480	NN 20	
Utah		2	_	6	-	_	6	6	537	192	3	
Nevada	-	-	1	-	-	-	-	12	110	60	-	
PACIFIC	-	-	6	1	7	5	149	121	6,786	4,618	95	
WashingtonOregon	-	-			1	_	27 13	16 28	764 1,032	520 764	12 26	
California	-	-	2	_	6	5	101	74	4,634	3,119	44	
Alaska	-	-	4	1	-	-	7	2	308	150	10	
Hawaii	-	-	-	-	-	-	1	1	48	65	3	
Puerto Rico	2	-	48	105	_	-	12	1	699	567	50	

NN-Not Notifiable

Table 2. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, EACH DIVISION AND STATE, AND PUERTO RICO, FOR WEEKS ENDED SEPTEMBER 10, 1960 AND SEPTEMBER 9, 1961 - Continued

(By place of occurrence. Numbers under diseases are category numbers of the Seventh Revision of the International Lists, 1955)

	Malaria	Meningo infec	ccocal tions	Psitta- cosis	Strepto- coccal sore throat,	T	yphoid f	ever 040	)	Typhus fever, endemic		es in
Area	110-117	05	7	096.2	etc. 050,051	36th	we <b>e</b> k		ative, 6 weeks	101		
	1961	1961	1960	1961	1961	1961	1960	1961	1960	1961	1961	1960
UNITED STATES	1	20	28	2	2,958	30	22	540	544	-	60	44
NEW ENGLAND	-	-	-	1	96	-	-	16 1	8 2	-	-	-
Maine New Hampshire	-	_	_	_	5	_	_	_	-		_	
Vermont	-	-	-	-	12	-	-	-	-	-	-	
Massachusetts	-	-	-	1	16	_	_	10 2	3	-	_	
Rhode Island	-		_		47	-	_	3	3	-	-	
MIDDLE ATLANTIC	1	2	5	-	89	6	1	63	38	-	4	
New York	1	-	4	-	70	5	1	31	24	-	3	4
New Jersey Pennsylvania	-	- 2	1 -	_	8 11	1 -	_	17 15	1 13	_	1	
EAST NORTH CENTRAL	_	8	7	1	140	5	5	73	74		6	
Ohio	-	1	í	-	9	3	1	25	19	-	1	
Indiana	-	-	1	-	32	2	3	18	22	-	2	
Illinois	-	2 5	3 2	-	11 55	-	1 -	24	20 8	-	3	
Wisconsin	-	-	-	1	33	-	-	2	5	-	-	
WEST NORTH CENTRAL	-	-	3	-	77	-	3	28	32	-	20	11
Minnesota	-	-	2	-	2	-	-	5	1	-	2	
Iowa	-		_	_	16	_	1 2	1 16	6 19	_	6	
North Dakota	-	-	1	-	40	-	-	-	1	-	-	
South Dakota	-	-	-	-	-	-	-	3	2	-	2	
NebraskaKansas	-	_	-	-	1 12	_	_	1 2	2	-	4 -	
SOUTH ATLANTIC	-	5	3	_	178	7	2	89	83	-	11	
Delaware	-	1	-	-	1	-	-	1	1	-	-	
Maryland	_	_		_	_	_	1	2 9	3		_	
District of Columbia Virginia	_	2	1	-	81	5	-	14	18	-	4	
West Virginia	-	-	-	-	55	-	-	9	6	-	4	
North Carolina	_	2	_	_	3 20	_	1	13	8 11	_	3	
Georgia	-	-	2	-	-	2	_	25	20	-	-	1
Florida	-	-	-	-	18	-	-	10	9	-	-	
EAST SOUTH CENTRAL	-	2	2	-	832	6	3	55	71	-	3	
Kentucky	-	1	1	_	70 694	2	3	10 38	14 40	-	1	
Alabama	-	_	1	_	42	-	-	6	12	-	2	
Mississippi	-	1	-	-	26	-	-	1	5	-	-	
VEST SOUTH CENTRAL	-	-	5	-	551	2	2	119	160	-	8	
ArkansasLouisiana	-		4	_	2	1	1	18 15	37 54	_	2	
Oklahoma			1				-	11	10			
Texas	-	-	-	-	549	1	1	75	59	-	6	
MOUNTAIN	-	-	-	-	797	-	2	45	31	-	3	
MontanaIdaho	-		-	-	43 23	_	1	14 1	9	-	_	
Wyoming	-	_	-	-	2	-	-	3	4	-	_	
Colorado	-	-	-	-	300	-	-	6	-	-	-	
New Mexico	-	_		-	275 77	-	1 -	9 6	8 7	_	2	
Utah	-	-	-	-	77	-	-	2	1	-	-	
Nevada	-	-	-	-	-	-	-	4	-	-	-	
PACIFIC	-	3	3	-	198	4	4	52	47	-	5	
WashingtonOregon	_	1 1			60 15	- 1	1 -	7	5 7	_	-	
California	-	i	3	-	105	3	3	44	35		5	
Alaska	-	-	-	-	14	-	-	-	-	-	-	
Havaii	-	-	-	-	4	-	-	-	-	-	-	



The chart shows the number of deaths reported for 117 major cities of the United States by week for the current year, a 5-week moving average of these figures plotted at the central week, and an adjusted average for comparison. For each region the adjusted average was computed as follows: From the total deaths reported each week for the years 1956-1960, 3 central figures were selected by eliminating the highest and lowest figure reported for that week. A 5-week moving average of the arithmetic mean of the 3 central figures was then computed with adjustment to allow for population growth in each region. The average value of the regional increases was 2 percent which was incorporated in the adjusted average shown in the chart.

Table 4 shows the number of death certificates re-

ceived during the week indicated for deaths that occurred in selected cities. Figures compiled in this way, by week of receipt, usually approximate closely the number of deaths occurring during the week. However, differences are to be expected because of variations in the interval between death and receipt of the certificate and because of incomplete reporting due to holidays or vacations. If a report is not received from a city in time to be included in the total for the current week, an estimate is used.

The number of deaths in cities of the same size may also differ because of variations in the age, race, and sex composition of the populations and because some cities are hospital centers serving the surrounding areas. Changes from year to year in the number of deaths may be due in part to population increases or decreases.

Table 3. DEATHS IN SELECTED CITIES BY GEOGRAPHIC DIVISIONS

(By place of occurrence and week of filing certificate. Excludes fetal deaths. Data exclude figures shown in parentheses in table 4)

	36th week	35th week	Adjusted average,	Percent change,	Cumulative, first 36 weeks			
Area	Sept. Sept.		36th week 1956-60	adjusted average to current week	1961	1960	Percent change	
TOTAL, 117 REPORTING CITIES	10,766	11,082	10,412	+3.4	413,485	416,873	-0.8	
New England       — (14 cities)         Middle Atlantic       — (20 cities)         East North Central       — (21 cities)         West North Central       — (9 cities)         South Atlantic       — (11 cities)         East South Central       — (8 cities)         West South Central       — (13 cities)         Mountain       — (6 cities)         Pacific       — (13 cities)	674 3,210 2,360 722 1,040 390 876* 287 1,207*	665 3,087 2,435 737 908 521 1,041 376 1,312	616 2,829 2,246 738 871 480 965 328 1,339	+9.4 +13.5 +5.1 -2.2 +19.4 -18.8 -9.2 -12.5 -9.9	25,367 118,050 88,334 28,141 35,811 18,637 35,313 13,149 50,683	26,060 115,533 90,248 29,149 35,845 18,845 36,597 13,067 51,529	-2.7 +2.2 -2.1 -3.5 -0.1 -1.1 -3.5 +0.6 -1.6	

<sup>\*</sup>Includes estimate for missing reports.

# Morbidity and Mortality Weekly Report

Table 4. DEATHS IN SELECTED CITIES

(By place of occurrence and week of filing certificate. Excludes fetal deaths)

NEW RIGIAID:   1961	Area	36th week ended Sept.	35th week ended Sept.		ative, 6 weeks	Area	36th week ended Sept. 9,	35th week ended Sept. 2,	Cumula first 36	
Boston, Mass.				1961	1960				1961	1960
Roston, Mess.	NEW PART AND					I TOOM NORTH CONTROL				
Bridgeport, Conn.		219	231	8,677	9,075		230	200	8 506	8,976
CRADITIGE, Wass. 29 23 1,043 1,133   Wichita, Kans. 39 56 1,655 1,6 PALL River, Wass. 29 21 1,972 1,124   1,242   1,242   1,242   1,242   1,242   1,242   1,242   1,242   1,242   1,242   1,243   1,244   1,253   1,244   1,245   1,244   1,253   1,244   1,245   1,24		1								2,534
Beart Fords   Coun.	Cambridge, Mass	29	35		1,133					1,663
Lovell, Mass. — 19 26 882 870 Lynn, Mass. — 21 16 775 874 Bernary Mass. — 21 16 775 874 Bernary Mass. — 21 16 775 874 Bernary Mass. — 21 24 942 885 Bernary Mass. — 22 24 942 885 Bernary Mass. — 22 26 82 976 Somerville, Mass. — 10 9 27 27 285 Somerville, Mass. — 10 9 27 27 285 Somerville, Mass. — 10 9 27 27 285 Waterbury, Conn. — 26 25 976 992 Waterbury, Mass. — 49 51 1,978 1,973 Waterbury, Mass. — 49 51 1,978 1,973 Waterbury, Mass. — 49 51 1,978 1,973 Albenton, Mr. — 114 120 3,303 5,293 Earlad, Nr. — 115 103 4,303 1,342 Jersey City, M.J. — 54 51 2,518 2,549 Newark, Nr. — 105 93 3,669 3,481 Newark, Nr. — 105 93 3,669 3,481 Newark, Nr. — 117 18 80 83 849 Rochester, Nr. — 27 22 886 866 Earlad, Nr. — 123 89 3,629 3,619 Earladehight, Pa. — 117 18 80 86 Earlad, Nr. — 123 89 3,629 3,619 Earladehy, Nr. — 27 22 868 866 Earladehy, Nr. — 27 33 1,104 1,203 Earladehy, Nr. — 27 22 868 866 Earladehy, Nr. — 27 33 1,104 1,203 Earladehy, Nr. — 27 22 868 866 Earladehy, Nr. — 27 33 1,104 1,203 Earladehy, Nr. — 27 22 868 866 Earladehy, Nr. — 27 33 1,106 1,201 Earladehy, Nr. — 27 22 868 866 Earladehy, Nr. — 27 33 1,106 1,201 Earladehy, Nr. — 27 29 34 1,007 Earladehy, Nr. — 27 29 34 1,007			. ,							
Lyrun, Mass. 21 16 775 874 New Bedford, Mass. 21 24 942 New March, Chan. 40 41 1,661 1,623 New March, Chan. 40 41 1,661 1,623 New March, Chan. 40 40 41 1,661 1,623 New March, Chan. 40 60 2,723 2,283 New Marchury, Chan. 40 40 41 1,631 1,640 Naterbury, Chan. 40 40 51 1,978 1,935 New Targetteld, Mass. 45 34 1,614 1,646 Naterbury, Chan. 40 40 51 1,978 1,935 New Targetteld, Mass. 46 52 1,966 New Targetteld, Mass. 47 1,633 1,567 Albentown, Pa. 45 29 1,244 1,253 New Targetteld, Nat. 46 20 1,243 1,243 New Targetteld, Nat. 47 1,633 1,567 Albentown, Pa. 45 29 1,244 1,253 New Targetteld, Nat. 47 1,633 1,567 Albentown, Pa. 45 29 1,244 1,253 New Targetteld, Nat. 41 120 5,303 5,293 New Targetteld, Nat. 40 1,641 1,64							110	100	/ 000	/ 070
New Bedford, Mess. 21 2 24 942 885										9,101
Mew Marchury, Conn.		1	à :							1,412
Somerville, Mass.			41			Jacksonville, Fla				2,173
Springfield, Mass.										2,638
Waterbury, Conn.										1,466
MIDDLE ATLANTIC:										2,814 1,237
MIDDLE ATLANTIC:  Albentoy, N.Y										(2,592)
Albentown, Pa.	MIDDLE AUTAVERO						55	73	2,424	2,389
Allentour, Pa.		34	47	1,653	1,567		. 1			6,969
Buffalo, N.Y.						"Timing con, Del."	43	38	1,435	1,367
Elizabeth, N.J						EAST SOUTH CENTRAL:				
Eric   Pa.										3,058
Jersey City, N.J										1,681
New York City, N.Y.   1,809   1,523   6,0195   58,700   Mobile, Ala.   37   38   1,409   1,412   1,391   Montgomery, Ala.   23   27   1,124   1,91   Montgomery, Ala.   23   27   2,097   2,1   Montgomery, Ala.   23   25   2,097   2,1   Montgomery, Ala.   23   27   2,097   2,1   Montgomery, Ala.   23   27   2,097   2,1   Montgomery, Ala.   23   27   2,097   2,1   Montgomery, Ala.   23   23   27   2,097   2,1   Montgomery, Ala.   23   23   23   23   23   23   23   2		1								1,029
Rev York City, N.T.   1,809   1,523   00,195   58,700   Roterson, N.J.   40   69   1,412   1,391   Nontpopery, Ala.   23   27   1,124   1,291   Pittsburgh, Pa.   111   199   6,822   6,968   866   866   866   866   866   866   866   866   866   866   866   866   866   866   867   87   8		105	93	3,669						4,056
Paterson, N.J. 39						Mobile, Ala	,			1,486
Pittsburgh, Pa.										1,243
Rechester, N.Y.   123						Nashville, lenn.	39	57	2,097	2,187
Schenetady, N.Y.   27   22   688   866   Baton Rouge, La.   17   19   982   1,0						WEST SOUTH CENTRAL:				
Scratton, Pa.   35   38   1,281   1,336   Corpus Christl, Tex.   9   23   789   78										1,258
Syracuse, N.Y.										1,013
Trenton, N.J.										876 4,529
Utica, N.Y.   22   34   1,017   995   Fort Worth, Tex.   59*   69   2,302   2,4	Trenton, N.J			1,625	1,506			- 1		1,390
EAST NORTH CENTRAL:  Akron, Ohio										2,421
EAST NORTH CENTRAL:	Tonkers, N.I	39	30	1,130	1,113		- 4			6,078
Akron, Ohio	EAST NORTH CENTRAL:				İ					2,073 6,574
Chicago, III.——————————————————————————————————						Oklahoma City, Okla	1			2,703
Cleveland, Ohio										3,699
Cleveland, Ohio								. 1		1,962
Detroit, Mich	Cleveland, Ohio					Tazsa, Onia:	22	24	1,984	2,021
Detroit, Mich.										
Evansville, Ind.								30	1,131	1,127
Flint, Mich. ————————————————————————————————————										599
Fort Wayne, Ind.										4,282 598
Gary, Ind 30 36 1,103 1,144			1		1,350					2,810
Indianapolis, Ind.										594
Madison, Wis.       38       36       1,183       1,146       Addivance, Wis.       33       36       1,392       1,22       1,28       Addivance, Wis.       33       36       1,392       1,292       1,28       Addivance, Wis.       33       36       1,392       1,292       1,28       Addivance, Wis.       33       36       1,392       1,292       1,28       Addivance, Wis.       33       36       1,392       1,28       Addivance, Wis.       17       21       617       66       67       68       1,292       1,039       Fresno, Calif.       (39)       (41)       (1,591)       (1,66       1,67       60       1,987       1,910       (1,66)       1,198       (1,198)       (1,28)	- /				, ,					1,773
Peoria, Ill. — 27 27 1,015 1,078 Berkeley, Calif. — 17 21 617 6 6 7 8 ckford, Ill. — 25 29 1,022 1,039 Fresno, Calif. — (19) (36) (1,198) (1,3 7 1) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						lucion, Aliz.	33	38	1,392	1,284
Rockford, Ill							- 1			
South Bend, Ind. — 23 26 1,022 1,028 Glendale, Caiff. — (19) (36) (1,198) (1,3 Toledo, Ohio————————————————————————————————————		- 1								608
Toledo, Ohio		i						1		(1,626)
Youngstown, Ohio	Toledo, Ohio		. 1							(1,392) 1,490
WEST NORTH CENTRAL:         Des Moines, Iowa         56         58         1,926         1,996         Pasadena, Calif         81*         89         3,476 </td <td>roungstown, Ohio</td> <td>74</td> <td>62</td> <td>2,100</td> <td></td> <td></td> <td>63</td> <td>52</td> <td>1,987</td> <td>1,976</td>	roungstown, Ohio	74	62	2,100			63	52	1,987	1,976
Des Moines, Iowa 56 58 1,926 1,996 Pasadena, Calif 28 30 1,190 1,2	WEST NORTH CENTRAL:									18,181
Duluth, Minn.       21       25       930       922       Portland, Oreg.       95       86       3,835       4,0         Kansas City, Kans.       37       32       1,351       1,252       Sacramento, Calif.       48*       56       2,237       2,0         Kansas City, Mo.       111       131       4,609       4,629       San Diego, Calif.       88       91       3,173       3,2         Lincoln, Nebr.       (34)       (15)       (994)       (946)       San Francisco, Calif.       153       163       7,022       7,1         Minneapolis, Minn.       115       102       4,297       4,494       San Jose, Calif.       (35)       (25)       (1,263) <t< td=""><td>Des Moines, Iowa</td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td></td><td>3,433 1,231</td></t<>	Des Moines, Iowa							1		3,433 1,231
Kansas City, Mo 111 131 4,609 4,629 San Diego, Calif 88 91 3,173 3,2 Lincoln, Nebr (34) (15) (994) (946) San Francisco, Calif 153 163 7,022 7,1 Minneapolis, Minn 115 102 4,297 4,494 San Jose, Calif (35) (25) (1,263) (1,2 0,4 0,4 0,4 0,4 0,4 0,4 0,4 0,4 0,4 0,4						Portland, Oreg	95	86	3,835	4,000
Lincoln, Nebr (34) (15) (994) (946) San Francisco, Calif 153 163 7,022 7,1 Minneapolis, Minn 115 102 4,297 4,494 San Jose, Calif (35) (25) (1,263) (1,2 Comaha, Nebr 49 68 2,493 2,683 Seattle, Wash 130 105 4,705 4,9 Spokane, Wash 42 49 1,671 1,7										2,086
Minneapolis, Minn 115 102 4,297 4,494 San Jose, Calif (35) (25) (1,263) (1,										3,245
Omaha, Nebr 49 68 2,493 2,683 Seattle, Wash 130 105 4,705 4,9 Spokane, Wash 42 49 1,671 1,7	Minneapolis, Minn							1		7,104 (1,258)
Spokane, Wash 42 49 1,671 1,7	Omaha, Nebr	49	68	2,493		Seattle, Wash	130			4,976
*Estimate - based on average percentage of divisional total.									1,671	1,709
	*Estimate - based on average	percent	age of di	visional	total.	Ideoma, Wasii.	22	31	1,3//	1,490
been reporting less than five years and hence are not in-	occur reporting less than ;	LIVE Year	s and he	tice are n	or in⇒					

Figures shown in parenthesis are from cities which have been reporting less than five years and hence are not included in Table 3.

### Morbidity and Mortality Weekly Report

Examination of stools from 6 cases and from an ileocecal lymph node yielded no virus on tissue culture or on mouse inoculation. Other laboratory findings were unrevealing.

(Reported by Daniel P. McMahon, M.D., District Health Officer, Binghamton District, New York State Department of Health).

#### INTERNATIONAL NOTES

#### Cholera - Southeast Asia

8

In the 4 weeks since Hong Kong was first declared a cholera infected port on August 17, there have been 124 cases of cholera there, including 14 deaths. Strict control measures and mass immunizations have been continuing in Hong Kong and in many neighboring Southeast Asian countries. No newly infected areas have been reported in Southeast Asia since August 17.

#### SOURCE AND NATURE OF MORBIDITY DATA

These provisional data are based on reports to the Public Health Service from the health departments of each State and Puerto Rico. They give the total number of cases of certain communicable diseases reported during the week usually ended the preceding Saturday. Total figures for the United States and the Pacific Division include data for the States of Alaska and Hawaii. Cases of anthrax, botulism, and rabies in man are not shown in table 2, but a footnote to table 1 shows the States reporting these diseases. When diseases of rare occurrence are reported by a State (cholera, dengue, plague, louse-borne relapsing fever, smallpox, louse-borne epidemic typhus, and yellow fever) this is noted below table 1.



Atlanta 22, Georgia
Official Business

U. S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
Communicable Disease Center

QUARANTINE MEASURES

Immunization Information for International Travel

No Changes Reported



POSTAGE AND FEES PAID U.S. DEPARTMENT OF H.E.W.